

This tender document outlines the requirements, eligibility criteria, and bidding process for the supply and installation of furniture at CCBF Dhamrod. The estimated project cost is Rs. 85 lakhs, and the delivery period is 60 days post purchase order. Bidders must be registered on the NCDFI portal and meet the specified technical and financial qualifications. Evaluation will be conducted on an overall basis, and the contract will be awarded to the lowest responsive bidder (L1).

TENDER DOCUMENT
OFFER FOR FURNITURE (Training centre)
NDS/CCBFDHAM/FUNRITURE/OCT/2025/01

Issued by

NDDB Dairy Services

POINTS BIDDERS SHOULD BEAR IN MIND

- 1) BIDS CONTAINING DEVIATIONS FROM BIDDING DOCUMENT TERMS AND OTHER REQUIREMENTS MAY BE REJECTED.
- 2) BIDS UPLOADED WITHOUT SUBMISSION OF EARNEST MONEY DEPOSIT **(if applicable)** SHALL BE SUMMARILY REJECTED.
- 3) BIDDERS SHOULD FURNISH THEIR COMPLETE ADDRESS FOR THE PURPOSE OF FURTHER CORRESPONDENCE PERTAINING TO BIDDING DOCUMENT.
- 4) NEGLIGENCE OF THE BIDDER IN PREPARING TENDER BID CONFERS NO RIGHT TO WITHDRAW THE BID AFTER IT WAS OPENED.
- 5) THE BID, ALONGWITH ENCLOSURES SHOULD BE IN ENGLISH ONLY.
- 6) THE BIDDING DOCUMENTS SHALL BE GOVERNED AND INTERPRETED ACCORDING TO THE LAWS OF THE UNION OF INDIA.
- 7) NDDDB Dairy Services RESERVES THE RIGHT TO ACCEPT OR REJECT ANY OR ALL BIDS WITHOUT ANY EXPLANATION TO BIDDERS.

CHECK LIST

1.	Have you submitted the original EMD to NCDFI on or before the date & time mentioned in the bid document?	Yes/No
2.	Have you quoted Bid prices in NCDFI Portal	Yes/No
3.	Have you uploaded the Form of Bid?	Yes/No
4.	Have you uploaded the duly digitally signed/signed documents completed in all respect?	Yes/No
5.	Have you noted the Service Period mentioned in the bid (Section-I)?	Yes/No
6.	Have you kept your offer valid for 120 days?	Yes/No
7.	Have you furnished copies of your PAN, GST Reg. No., PF Registration No. etc. (as per statutory requirement of above services)	Yes/No
8.	Have you uploaded the Statements of Deviations	Yes/No

Section I Invitation of Bids:

Tender Reference: NDS/CCBFDHAM/FUNRITURE/OCT/2025/01

NDDDB Dairy Services (NDDDB DS), a not-for-profit subsidiary of the National Dairy Development Board, invites online bids from reputed and experienced vendors for the supply and installation of furniture at CCBF Dhamrod. The objective is to equip the office and laboratory areas with durable, ergonomically designed, and certified furniture in line with project requirements. This tender is an open competitive bidding process. Participation is limited to vendors registered on the NCDFI e-Portal. The tender conditions, eligibility criteria, and evaluation methodology are outlined in the following sections.

Bid Ref:	NDS/CCBFDHAM/FUNRITURE/OCT/2025/01
Description	Furniture for training centre for CCBF Dhamrod
Estimated Cost	85 lakhs
EMD	<p style="text-align: center;">Rs.1 Lakh</p> <p style="text-align: center;">(Through NEFT/RTGS in the account of NCDFI)</p> <ul style="list-style-type: none"> • Beneficiary Name: NCDFI SETTLEMENT ESCROW A/C • Bank Name: ICICI Bank Limited • Branch Address: CMS HUB, Mumbai • Account Number: NCDFIMAKH1307877 • IFSC Code: ICIC0000104 <p>After the successful completion of the contract, NCDFI will deduct TC (Transaction charges) at 0.4 % (+ 18% GST) and TDS under section 194 (O) at 0.1 % of the Trade Value from the EMD/SD.</p>
Sale of bid (Start date)	22 nd October 2025
Site Visit	Vendors who wish to visit the site may do so at their own expense. For scheduling a site visit, vendors are requested to contact us at samar.rehman@nddbdairyservices.com The site visit should be completed before 31 October 2025.
Sale of bid End Date	11 ^h November 2025
Last Date & Time of Submission of bid	3:00 PM on 11.11.2025
Technical Bid Opening	3:30 PM on 11.11.2025
Delivery Period	Within 60 days after PO Receipt
Delivery Location	Location and Area : CCBF Dhamrod (Managed by NDDDB DS) Nearest Railway Station : Surat Access Major Town : Surat/Ankleshwar
Evaluation of offer	Overall Basis
For Registration in NCDFI Portal	Please Contact: Mr Ankit: +91 99786 07159

Section II Instructions to Bidder

2.1 The bidders must meet the following minimum qualifying criteria:

- (a) The Bidder, in the same name and style, should be in business at least for last **three years** at time of bid opening. In case of change of name of bidder by merger / acquisition / change in status, the bidder may be eligible based on the documentary evidence.
- (b) The Bidder should have valid registration under various Acts that may be applicable for the contract proposed.
- (c) The Bidder must have achieved a financial turnover in the same name and style (i.e., the bidding entity) in each of the last two financial years ending on 31st March that is not less than 30% of the estimated cost of the item(s) for which the bid is submitted.
- (d) The bidder should have cumulative POs value minimum 40 Lakh Lakh
- (e) In addition to the above, the following information/documents should also be **uploaded** along with the online bid by the bidder for evaluation/determination of their eligibility:
- i. Copy of the Income Tax Returns for two previous years for income tax purpose.
 - ii. Even though the bidder's meet the specified criteria, it may be disqualified if it has:
 - Made untrue or false declaration in the forms, statements and attachments submitted in proof of their qualification
 - Poor documented record based on the feedback from other milk producer organizations from their own experience in the delivery, installation, performance, service and also in abandoning the works, not properly completing the contract, inordinate delays, or financial failure etc.
 - If the bidder is overbooked beyond his capacity to execute the work as per required schedules.

S.No	Criteria	Required Document
1	Minimum 3 years in business	Company Registration Certificate
2	Valid statutory registrations	GST, PAN, PF Certificates
3	Average Financial turnover \geq 30% of estimated cost last 2 years	Audited Financial Statements
4	Cumulative PO value \geq ₹40 lakhs	PO Copies

2.2 Eligible Bidders

This invitation for Bids is open to all suppliers who have downloaded this bidding document in their name and meet the minimum eligibility criteria, if any, specified in this bidding document.

2.3 Bidding Document

The fee/cost for bidding document is NIL.

The Bidder shall bear all costs associated with the preparation and submission of its bid, and the NDDB Dairy Services hereinafter referred to as "Procuring Agency", will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process. Interested eligible bidders may obtain further information from Manager (Procuring Agency) Sh. Samar Rehman, Address ***NDDB House, Safdarjung Enclave, New Delhi, Southwest Delhi, Delhi, 110029***
011-4988300/49883088/

2.4 Downloading the Document

- i. The bid documents will be available in the website at <https://www.ncdfimarket.com/> and can be downloaded and used as tender documents for uploading the offer.
- ii. It is hereby brought to the notice of all bidders that if any change/additions/ deletions/alterations are found to be made by them in the tender and the same is subsequently noticed at any stage, even after award of the contract, the bidders are liable for all consequences thereof and NDDB Dairy Services (NDS) shall be free to take suitable action as deemed necessary.

Bid Submission Process

1. Download Tender Document from NCDFI Portal
2. Register on NCDFI Portal
3. Submit EMD via NEFT/RTGS
4. Upload Technical Bid and Required Documents
5. Submit Commercial Bid Online
6. Attend Virtual Bid Opening

Content of Bidding Documents

- a. The services required, bidding procedures and contract terms are prescribed in the Bidding Documents. In addition to the Invitation for Bids, the Bidding Documents include:
- b. The Bidder is expected to examine all instructions, forms, terms and specifications in the Bidding Documents. Failure to furnish all information required by the Bidding Documents or submission of a bid not substantially responsive to the Bidding Documents in every respect will be at the Bidder's risk and may result in the rejection of its bid.

2.5 Clarification of Bidding Documents

A prospective Bidder requiring any clarification of the Bidding Documents may notify the NDS in writing/fax/telex/email at the NDSs mailing address indicated

in the Invitation for Bids. The Procuring Agency will respond in writing to any request for clarification of the Bidding Documents, which it receives not later than 7 days prior to the deadline for the submission of bids prescribed by the Procuring Agency. If required, written copies of the Procuring Agency's response (including an explanation of the query but without identifying the source of inquiry) will be uploaded in the websites mentioned.

2.6 Amendment of Bidding Documents

At any time prior to the deadline for the submission of bids, the NDS may for any reason whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding document by the issuance of amendment.

The amendment will be uploaded on NDS/NCDFI website. Before submission of the bid, the bidder should check the NDS/NCDFI website for any Corrigendum/additional information on the bidding document, if any.

The amendment will be also uploaded on NCDFI's website. Before submission of the bid, the bidder should check the NCDFI's website for any Corrigendum/additional information on the bidding document, if any

However, non-information in changes/amendments put on website as Corrigendum to the prospective bidders shall not bind the NDS to extend the deadline for the submission of the bids and non-compliance to such Corrigendum by the bidder shall result to non-responsiveness of the bid leading to rejection.

2.7 Preparation of Bid.

The Bid prepared by the Bidder and all correspondence and documents relating to the bid exchanged by the Bidder and the Procuring Agency, shall be written in the English language

2.8 Bid Form

- a. The Bidder shall complete the Bid Form furnished in the Bidding Documents and upload the same on the e-portal submit the same along with technical bid.
- b. All the required document duly signed/digitally signed should be uploaded on or before the specified date and time at NCDFI website.

2.9 Bid Submission:

Bid submission shall be made only through the NCDFI e-portal. Hard copy submissions will not be accepted. Participation in the bidding process is restricted to vendors registered on the NCDFI portal. The registration procedure has already been detailed under Clause 1.8. Bidders are required to quote their prices exclusively through the NCDFI e-portal.

2.10 Bid Currencies

For a service covered in this Bidding Document, prices shall be quoted in Indian Rupees only.

2.11 Earnest Money Deposit (EMD)

The payment should be made on or before **12:00 PM** on the date of submission of bids. Tenderer must submit an EMD of Rs. 70,000. (Rupees Seventy Thousand only) through your Escrow account with NCDFI

iii) Transaction Fees and TDS:

- a) As the bidding is processed through the NCDFI Portal, the awardee vendor must pay:
 - i. **Transaction Fee - 0.40%** of the contract value (+ applicable GST).
 - ii. **TDS u/s 194/O - 0.10%** of the contract value.
- b) Payment must be made within two working days of contract award.
- c) Any adjustments in transaction fees and TDS based on the final contract value must be paid promptly or will be adjusted against the EMD amount deposited.

2.12 The EMD may be forfeited:

- a. If a bidder withdraws or modifies its bid during the period of bid validity
OR
- b. In the case of the successful bidder, if the bidder fails to sign the Contract (i.e., return the signed copy of duplicate Purchase Order, and furnish Performance Security, if asked for)
- c. Unsuccessful bidder's bid security will be discharged / returned as promptly as possible but not later than 30 days after the expiration of the period of the bid validity of 120 days from the date of bid opening. The successful Bidder's EMD will be discharged upon the Bidders executing the Contract i.e., return the signed copy of duplicate Purchase Order, and furnish the Performance Security, if asked for.
- d. The EMD security is required to protect the Procuring Agency against the risk of Bidder's conduct, which would warrant the security's forfeiture.
- e. The EMD shall be denominated in Indian Rupees only, and shall be in one of the following forms:
- f. Any bid not accompanied with EMD will be rejected by the Procuring Agency as non-responsive.
- g. Unsuccessful Bidder's EMD will be discharged/returned as promptly as possible but not later than 30 days after the expiration of the period of bid validity prescribed by the Procuring Agency,
- h. The successful Bidder's EMD will be discharged upon the Bidders executing the Contract and furnishing the performance security.
- i. The EMD may be forfeited: If a Bidder withdraws or modifies its bid during the period of bid validity specified by the Bidder on the Bid Form; or
- j. In the case of these successful Bidder, if the Bidder fails:
 - a. To sign the undertaking and contract in
And
 - b. To furnish performance security in accordance with

2.13 Period of Validity of Bids

- a. Bids shall remain valid for 120 days after the date of bid opening prescribed by the Procuring Agency. A bid valid for a shorter period shall be rejected by the Procuring Agency as non-responsive.

- b. In exceptional circumstance, the Procuring Agency may prior to the expiry of initial validity period solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing (or by cable or telex or fax). The EMD provided under Clause shall also be suitably extended. A Bidder may refuse the request without forfeiting its EMD. A Bidder granting the request will not be required nor permitted to modify its bid.

2.14 Format and Signing of Bid

- a. The uploaded bid shall be digitally signed by the Bidder or a person or persons duly authorized to bind the Bidder to the Contract. The latter authorization shall be indicated by written power-of-attorney accompanying the Bid.
- b. Any correction made in the uploaded bid document should be signed by authorized signatory.

2.15 Submission of bid

- a. The bidders, who downloaded the bidding documents, are eligible for submission of bids in their names only. **The complete bidding document downloaded has to be uploaded along with the bid** without any modifications/alternations, as a token of their acceptance towards enclosed scope of work, terms and conditions unconditionally.
- b. The technical Bid (Part I) has to be uploaded online and the commercial bid / price bid (Part II) has to be filled online at NCDFI e-tender portal.

2.16 Deadline for Submission of Bids

- a. Bids must be submitted NCDFI Portal not later than the time specified for receipt of the bids in the Invitation for Bids (Section I). **The EMD (in original) should be delivered to communication address as stated** below, on or before the last date and time of receipt of bids.
- b. The Procuring Agency may, at its discretion, extend this deadline for the submission of bids by amending the Bidding Documents, in which case all rights and obligations of the Procuring Agency and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

2.17 Late receipt of EMD

Any EMD received by the Procuring Agency after the deadline for submission of bid prescribed by the Procuring Agency, the bid shall be rejected.

2.18 Modification and Withdrawal of Bids

- a. The Bidder cannot modify or withdraw its bid after the bid's submission.
- b. No bid can be modified subsequent to the deadline for submission of bids.
- c. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid Form. Withdrawal of a bid during this interval may result in the forfeiture of Bidder's EMD.

2.19 Bid Opening and Evaluation

The NDS will open the Technical bids (of those bidders whose **Original EMD, in acceptable form**, have reached the office of NCDFI on the time and date stated in the IFB. Bidders can witness Virtual bid opening of bid.

Commercial bids will be opened electronically of only those bidders whose Technical Bid (Part-I) is found to be acceptable by NDS. Such bidders will be intimated regarding date of opening of Part II- Commercial Bid separately.

The NDS will examine the bids to determine whether they are complete, whether the requisite EMD have been furnished, whether the documents have been properly uploaded, and whether the bids are generally in order.

2.20 Preliminary Evaluation

The Procuring Agency will examine the technical bids to determine whether they are complete, whether required supporting documents have been furnished, and whether the bids are generally in order.

The Procuring Agency will also examine whether the bid is complete. If the prices of certain items are found as "0" ("ZERO") it will be presumed that the bidder has included the cost of these items against some other items of the price bid. The bidder shall furnish/upload the details of such inclusions separately.

If the Procuring Agency considers that with these omissions, the offered services is not functional, then the bid will be treated as incomplete and non-responsive.

Arithmetical errors – Not Applicable

Prior to the detailed evaluation, the Procuring Agency will determine the substantial responsive to the bidding documents. For purposes of these clauses, a substantially responsive bid is one, which conforms to all the terms and conditions of the Bidding Documents without material deviations. A material deviation is one which affects in any substantial way the functionality, scope, quality or performance of the deliveries or which limits in any substantial way inconsistent with the bidding documents, the Procuring Agency's rights or the bidder's obligations under the contract and the rectifications of which deviations would affect unfairly the competitive position of other bidders presenting substantially responsive bids. The Procuring Agency's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.

A bid determined as not substantially responsive will be rejected by the Procuring Agency and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

The Procuring Agency may waive any minor informality or non-conformity or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of the Bidder.

2.21 Evaluation and Comparison of Bids

All required technical documents must be submitted. Evaluation will be on an overall basis. Only those bids that meet the minimum eligibility criteria and comply with the required technical specifications (including makes and models) shall be considered technically qualified for commercial evaluation. The Purchase Order (PO) will be awarded to the L1 bidder. However, the Procuring Agency reserves the right to negotiate with the L1 bidder, if required, to meet project-specific requirements.

2.22 Bid Prices

- a. The Bidder shall indicate on the Price Bid at NCDPI e-Portal the final unit prices (after considering discount, if any) of the goods it proposes to supply under the Contract. Bidders must submit a bid for the full quantity specified under technical specifications, failing which, such bids will not be considered for evaluation and comparison and will not be considered for award. The item wise quoted price should be inclusive of applicable GST.
- b. The item wise price of goods/services to be entered in the NCDPI e-portal shall be on FOR site basis inclusive of applicable GST, but including the charges for packing and forwarding, transportation, transit insurance and all other local costs incidental to delivery of

goods/services to their final destination, storage cum erection insurance and safe custody at site.

- c. Hence, the price including GST (₹118 in this example) will be considered for evaluation purposes. Bidders are advised to quote accordingly.

2.23 Prices indicated on the Price Bid shall be entered in the following manner:

- a. The item wise price of goods to be supplied/installed and commissioned shall be on FOR site basis inclusive of applicable GST. The item wise price shall also include the charges for packing and forwarding, transportation, transit insurance and all other local costs incidental to delivery of the goods to their final destination, storage cum Erection insurance and safe custody at site.
- b. The Bidder's separation of price components in accordance with above will be solely for the purpose of facilitating the comparison of bids by the Procuring Agency and will not in any way limit the Procuring Agency's right to contract on any of the terms offered.

2.24 Fixed Price

Basic Price quoted by the Bidder shall be fixed during the bidder's performance of the Contract and not subject to variation on any account. A bid submitted with an adjustable price quotation for such goods and services will be treated as non-responsive and rejected.

2.25 Price Break-up

Bidders shall furnish the price for the supply and for installation/ commissioning along with detailed cost break-up (item wise), which will be applicable for progressive payments. Items and works for which no break-up price is furnished by the bidder will not be paid for by the Procuring Agency when supplied/executed and shall be deemed covered by the other break-up prices.

Notwithstanding anything stated elsewhere in the bidding documents, irrespective of mode of the contracting with the successful bidder, the successful bidder will be liable for the payment of Indian Income Tax, surcharge on Income Tax and any other Corporate Tax, turnover tax etc. if attracted under the provisions of the law. The Procuring Agency shall not bear any tax liability whatsoever irrespective of the mode of contracting

2.26 Contacting the Procuring Agency

- a. Bidder shall contact the Procuring Agency on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded.
- b. Any effort by a Bidder to influence the Procuring Agency in the Procuring Agency's bid evaluation, bid comparison or contract award decisions may result in the rejection of the Bidder's bid.

2.27 Post Qualification

- a. In the absence of pre-qualification, the Procuring Agency will determine to its satisfaction whether the Bidder selected as having submitted the lowest evaluated responsive bid is qualified to satisfactorily perform the Contract.
- b. The determination will consider the Bidder's financial, technical and servicing capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, as well as such other information as the Procuring Agency deems necessary and appropriate including details of experience and records of past performance.
- c. An affirmative determination will be a prerequisite for award of the Contract to the Bidder. A negative determination will result in rejection of the Bidder's bid, in which event; the Procuring Agency will proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.

2.28 Award of Contract

Purchaser will award the contract to the successful bidder whose bid has been determined to be substantially responsive and has been determined as the lowest evaluated bid provided further the bidder is determined to be qualified to perform the contract satisfactorily

2.29 Purchasers Right to Vary Quantities at the Time of Award.

The Purchaser reserves the right to vary the quantities at the time of award of the contract, if the need arises in consultation with the successful bidder.

2.30 Purchaser's Right to Accept Any Bid and to Reject Any or All Bids

NDS does not bind itself to accept the lowest bid. NDS reserves the right to award the job either in part or full. NDS at its sole discretion and without assigning any reason thereof, also reserves the right to accept any/or reject any or all bids.

NDS also reserves the right to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the group NDS for the Purchaser's action.

2.31 Notification of Award

- a. The Successful bidder will get PO from CCBF Dhamrod
- b. Prior to expiration of the period of bid validity, the Purchaser will notify the successful Bidder in writing by registered letter/courier/by cable/telex/fax/e-mail, to be confirmed in writing by registered letter/courier, that its bid has been accepted.
- c. The notification of award will constitute the formation of the Contract.
- d. Upon the successful Bidder's furnishing of performance security, the Procuring Agency will discharge the EMD of unsuccessful bidders.

2.32 Signing of Contract

- a. As the Procuring Agency notifies the successful Bidder that its bid has been accepted, the bidder is requested to submit the "Undertaking" as provided in the Bidding Document, incorporating all agreements between the parties.
- b. Successful bidder needs to sign the Agreement
- c. The "Undertaking" and "Acceptance copy of the contract" shall be returned within 15 days from the date of contract.

2.33 Performance Security

- a. Within 30 days of the receipt of notification of award from the Purchaser, the successful Bidder shall furnish the **performance BG (2% of total contract amount)** in accordance with the Conditions of Contract, in the Performance Security Form/DD provided in the Bidding Documents or another form acceptable to the Purchaser. Bank guarantee issued only by Nationalized/Scheduled commercial Banks/Foreign banks having branches in India will be accepted.
- b. Failure of the successful Bidder to comply with the requirement of Clause 2.31 or Clause 2.32 shall constitute sufficient reason for Purchase for the annulment of the award and forfeiture of the EMD, in which event the Purchaser may make the award to the next lowest evaluated bidder or call for new bids.
- c. If the bid of the successful bidder is seriously unbalanced in relation to the Purchaser estimate of the real cost of the work to be performed under the contract, the Purchaser may require additional performance security to protect the Purchaser against financial loss in the event of subsequent default of the successful bidder under the contract. The value of the additional performance security shall be decided by the Purchaser based on mutual discussions with the successful bidder. The additional performance security shall be valid until the completion of contract or the Purchaser may decide as.

2.34 Bid Form

- a. The Bidder shall complete the Bid Form (Format given as **Error! Reference source not found.**) furnished in the Bidding Documents and provided the same along with technical bid.
- b. All the required document duly sealed & signed should be submitted before the specified date and time at NCDFI Portal.

2.35 Place of Opening of bid: NCDFI website Portal (by Virtual Mode).

Section III General Terms & Conditions of the Contract

3.1 Bank Guarantee:

Within 30 days of the receipt of notification of award from the Purchaser, the successful Bidder shall furnish the **performance BG (2% of total contract amount)** in accordance with the Conditions of Contract, in the Performance Security Form provided in the Bidding Documents or another form acceptable to the Purchaser. Bank guarantee issued only by Nationalized/Scheduled commercial Banks/Foreign banks having branches in India will be accepted.

- a. A bank guarantee issued by a Nationalized Indian Bank or a foreign bank having branches in India valid for 3 months (claim period) beyond the defect liability period/warranty period.
- b. Demand Draft issued by Nationalized Bank/ Scheduled Bank/ Foreign Bank having branches in India in favour of National Dairy Development Board payable at Anand.
The Bank Guarantee will be discharged by the Purchaser and returned to the Supplier not later than 30 days after defect liability period/ warranty period.

3.2 Date of Delivery:

Date of delivery prescribed shall be deemed to be the essence of the purchase order/contract. Each unit of an item shall be delivered to destination not later than the delivery date specified in the order. Delivery Schedule is given at Section VI.

3.3 Liquidated Damages:

If the bidder fails to deliver any or all the goods or perform the services within the time period(s) specified in the purchase order/contract, purchaser shall, without prejudice to its other remedies under the purchase order/contract, deduct from the purchase order/contract price, as liquidated damages, a sum equivalent to:

- a. 0.5% of full contract value for each completed week of delay
- b. 0.5% of the value of the delayed items/services only, for each completed week of delay
 - Week comprising of 7 days including holidays and any incomplete week shall be ignored for the calculation of liquidated damages.
 - Purchaser may without prejudice to any other method of recovery, deduct the amount of such damages from any payment in its capacity, due or which may become due to the Contractor. The payment or deduction of such damages shall not relieve the Contractor from his obligation to complete the Works, or from any other of his obligations and liabilities under the Contract.

The total amount so deducted shall not exceed 10% of the purchase order/ contract value. Once the maximum is reached, purchaser may consider cancellation/ termination of purchase order/ contract, and forfeiture of performance ity and/or Retention amount.

3.4 Termination of contract:

- a. During the term of this contract, either party, reserves its right to terminate this contract by giving 30 (Thirty) days' notice without assigning any reason thereof.
- b. Purchaser reserves the exclusive right to suspend, cancel, and terminate this contract at any time if it has sufficient reasons to believe that the Contractor has failed to perform or observe or fulfil any of the terms and conditions herein before contained and/or liable and responsible for any loss or damage suffered by the Purchaser.
- c. The Purchaser shall have the right to ask of the removal of any person, if one is not considered to be competent and orderly in the discharge of his duties.

Termination for Convenience

- (a) The Purchaser, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- (b) The Goods that are complete and ready for shipment within twenty-eight (28) days after the date of issuance of the termination notice, shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect: to have any portion completed and delivered at the Contract terms and prices; and/or to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

3.5 Penalty:

- a. In the event of the Contractor's failure to execute the work entrusted to him under this contract satisfactorily, Purchaser shall make alternative arrangement to do it and the difference of cost incurred by Purchaser thereby shall be recovered from the Contractor's unpaid bills and Security Deposit.
- b. If the service provided by the agency is found to be unsatisfactory, the same shall be brought to their notice in writing and if no improvement is found in a stipulated time, then a penalty up to 10% of the monthly payment value will be imposed and same shall be recovered from the monthly bill.

3.6 Force Majeure

The terms and conditions mutually agreed upon shall be subject to Force Majeure Clause. Neither party shall be considered in default in performance of their obligations here under if such performance is prevented or delayed because of war, hostilities, revolution, civil commotion, strike, epidemic, accident, fire, wind, flood, earthquake or because of law and order proclamation, regulation or ordinance of any Government or of any act of GOD or any other clause whether of similar or dissimilar nature, beyond the reasonable control of the party affected. Should one or both the parties be prevented from fulfilling their obligations by a state of Force Majeure lasting continuously for a period of six months, the two parties should consult each other regarding the future implementation of the contract.

Taxes, duties and levies

All taxes, duties, levies etc. imposed by the Central / state Government in connection with this contract in force at the time of submission of BIDs shall be borne by the Contractor during currency of contract. The taxes deemed to have included in the price bid, however service tax shall be payable as applicable.

3.8 Completion of contract

Unless otherwise terminated under the provisions of any other relevant clause, this contract shall be deemed to have been completed at the expiration of the duration of contract.

The performance/retention bank guarantees should be valid up to 90 days beyond the warranty period.

3.9 Insurance:

In case where the purchase order is placed on “free delivery at site” including unloading basis, no insurance premium will be paid by purchaser. In such a case, all required insurance policies (Transit risk insurance policy, storage insurance policy, All risk policy, Workmen Compensation policy, Third Party insurance etc.) may be obtained by the supplier/ contractor to safeguard their own interests and to protect the material against transit hazards, storage (at Site) for damage/ loss.

3.10 Rejection:

Purchaser reserves the right to reject the goods either in full or in part, if at the time of delivery, it is noticed that the goods supplied do not conform to the specifications/ description given in the purchase order. The rejections, if any, will be intimated to the supplier in writing within a reasonable time. The supplier will be liable and responsible to repair/ replace the rejected goods within the original delivery period. No extra payment shall be made for such replacement to the supplier/ contractor for freight, unloading and insurance etc. Till the repair/ replacement is made, the rejected goods shall be lying at supplier’s risk, cost and responsibility. If the supplier does not arrange to repair/ replace the rejected goods within the original delivery period, purchaser may dispose off such goods at supplier’s risk and in the manner, purchaser thinks fit. Purchaser shall be at liberty to purchase the quantity of items rejected from other parties without giving any notice and at supplier’s risk & cost and recover the additional expenditure, if any, from any of the outstanding dues of the supplier/ contractor. Purchaser shall be entitled to recover the expenses made by Purchaser on storage and handling of such rejected goods till the goods are removed from Purchaser’s premises/ stores.

Variation:

- The Purchaser can make any variation of the form, quality or quantity of the Works or any part thereof that may, in his opinion, be necessary and for that purpose, or if for any other reason it shall, in his opinion be desirable, he shall have power to order the Supplier to do and the Supplier shall do any of the following:
 - a. Increase or decrease the quantity of any work included in the contract,
 - b. Omit any such work,
 - c. Change the character or quality or kind of any such work,
 - d. Change the levels, lines, position and dimensions of any part of the works, and
 - e. Execute additional work of any kind necessary for the completion of the works and no such variation shall in any way vitiate or invalidate the contract, but the value, if any, of all such variations shall be taken into account in ascertaining the amount of the Contract price.
- All extra or additional work done or work omitted by order of the Purchaser shall be valued at the rates and prices set out in the contract if in the opinion of the Purchaser, the same shall be applicable. If the contract does not contain any rates or prices applicable to the extra or additional work, then suitable rates or prices shall be agreed upon between the Purchaser and the Supplier, with consideration of Overhead & Profit limiting to 15%. In the event of disagreement, the Purchaser shall fix such rates or prices as shall, in his opinion, be reasonable and proper.

3.11 Spares:

If asked for, the supplier shall provide a list of spare parts, which will be required for the plants and equipment supplied for at least two years of normal operation with the names and the addresses of the manufacturers from whom these can be procured. The list should contain the code numbers of the parts, which are required to be procured, in addition to the machine number, models etc.

1.51 Inspection:

On placement of order, the equipment under the purview of supply should be inspected by the supplier's own technical experts at the supplier's works and such inspection report should be forwarded to Purchaser in triplicate. However, Purchaser reserves its right to inspect at any stage of fabrication/manufacture of the equipment/material. The supplier should intimate the Purchaser without fail, when the equipment is ready for inspection including the stage wise inspection. The supplier should not proceed with further manufacture and/or despatch of equipment, without obtaining a clearance certificate from Purchaser. The supplier should forward to Purchaser the Test Certificates, wherever applicable, obtained from concerned authorities/ principal manufacturers either regarding quality or any other details of the items utilised in the process of manufacture/fabrication

3.12 Dispatch Instructions:

The materials are to be despatched to the destination by the mode of transport specified in order under intimation to Purchaser. Depending on the type of material, the supplier shall have to carry out proper packing/ crating to avoid breakages in transit. Other details of despatch such as consignee's particulars etc. are mentioned in the purchase order. For using any mode of transport other than the specified one, prior concurrence from Purchaser in writing should be obtained. All consignments should be despatched on freight paid basis irrespective of price basis. In the event of freight payable extra by Purchaser, the supplier shall have to obtain Purchaser's-- prior approval and produce necessary documentary evidence in support of claims. Unless otherwise stated, the original RR/LR should be sent directly to the consignee along with three copies of invoice and two copies of Delivery Challan/e-way bills and Packing List.

3.13 Force Majeure:

The terms and conditions mutually agreed upon shall be subject to Force Majeure Clause. Neither the supplier/ contractor nor Purchaser shall be considered in default in performance of his/their obligations hereunder if such performance is prevented or delayed because of war, hostilities, revolution, civil commotion, strike, epidemic, accident, fire, wind, flood, earthquake or because of any law, order, proclamation, regulation or ordinance of any Government or of any act of God or any other cause whether of similar or dissimilar nature, beyond the reasonable control of the party affected. Should one or both the parties be prevented from fulfilling his/their contractual obligations by a state at Force Majeure lasting continuously for a period of six months, the two parties should consult each other regarding the future implementation of the contract/purchase order.

3.14 Arbitration

- a. Except as otherwise provided elsewhere in the contract, if any dispute, difference, question or disagreement or matter whatsoever, shall, before and after completion or abandonment of work or during extended period, hereafter arises between the parties, as to the meaning, operation or effect of the contract or out or relating to the contract or breach thereof, shall be referred to Sole Arbitrator to be appointed by NDDB Dairy Services/Purchaser at the time of dispute.
- b. It is a term of the contract that the party invoking arbitration shall specify all disputes to be referred to arbitration at the time of invocation of arbitration under the clause.
- c. It is a term of the contract that the cost of arbitration will be borne by both the parties.
- d. The venue of the arbitration shall be Delhi/Decided by the Purchaser.

- e. Settlement of any disputes arising out of this agreement will be subject to Delhi/Decided by the Purchaser Jurisdiction only. The resolution of dispute, if any, shall be settled initially, by way of mutual consultation and if it is not settled the same shall be referred to arbitrator. The sole arbitrator will be appointed by NDDDB Dairy Services under his discretion and the arbitration proceedings shall be governed by the provisions of the Indian Arbitration and Conciliation Act 1996 and thereafter amendments issued from time to time. The award of such sole arbitrator shall be final, conclusive and binding on the parties to this contract.

3.15 Jurisdiction

The contract shall be governed by and constructed according to the law in force in India. The venue of the arbitration shall be at Delhi/nearest location purchaser.

3.16 Negligence or default of contractor:

- a. Purchaser may without prejudice to its other rights or remedy against the contractor in respect of inferior workmanship or any other provision of this contract or otherwise may issue a Notice in writing to absolutely determine the contract for the following cases:
- b. If the contractor neglects to carry out his obligation under the contract and / or commits defaults in complying with any of the terms and conditions and does not remedy even after written notice.
- c. When the contractor has been made liable for action under the aforesaid cases, Purchaser shall have powers:-
- d. To determine or rescind the contract. Upon such rescission, the full security deposit recoverable under the contract shall be liable to be forfeited and shall be absolutely at the disposal of Purchaser.
- e. After giving notice to the contractor to measure up the work done by him in order to get the balance work done by another contractor.

4. Technical Requirements

For Detailed specs and Design Please refer NCDFI E portal

Sr. No.	Item	Item Description	Nos
Admin Building -Ground Floor			
1	MEETING ROOM TABLE	Supply and installation of Conference Desk- table 9000 mm X 600mm X 750mm made up of MR Grade Plywood (as per IS:303-1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and rest is made of 16mm with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. Color and Make as per the approval of Engineer-in - charge.	2
2	MEETING ROOM CHAIRS	Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as . , Color and Make as per the approval of Engineer-in -charge.	28
3	RECEPTION TABLE	Supply and installation of Reception table Desk- TABLE 1800 mm X 600mm X 750mm made up of MR Grade Plywood (as per IS:303-1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. Color and Make as per the approval of Engineer-in - charge.	1
4	RECEPTION CHAIR	Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as . , Color and Make as per the approval of Engineer-in -charge.	1

5	SOFA [3 SEATER]	Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	1
6	SINGLE SOFA CHAIR	Providing 900mm X 750mm sofa Chair with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	2
7	CENTER TABLE	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	1
8	FILE STORAGE	Supply and installation of File Storage 900 mm X 450mm X2100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	17
9	PANTRY - BASE UNIT	Supply and installation of Pantry 1800 mm X 600mm X 900 mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. With Granite Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	1
10	DISPLAY AREA TABLE	Supply and installation of Display- TABLE 1800 mm X 1800mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm. With metal coated legs ., Color and Make as per the approval of Engineer-in - charge.	1

11	DISPLAY AREA CHAIR	Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as . , Color and Make as per the approval of Engineer-in -charge.	8
Admin Building First Floor			
1	STAFF AREA TABLE	Supply and installation of Staff area- TABLE 4050 mm X 1200mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and rest is made of 16mm with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. With metal coated legs . , Color and Make as per the approval of Engineer-in - charge.	3
2	SENIOR STAFF TABLE	Supply and installation of Senior Staff- TABLE 1575 mm X 1500mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and rest is made of 16mm with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. With metal coated legs . , Color and Make as per the approval of Engineer-in - charge.	6
3	STAFF AREA CHAIR	Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as . , Color and Make as per the approval of Engineer-in -charge.	24
4	UNIT HEAD TABLE	Supply and installation of Unit Head- TABLE 1800 mm X 1350mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and rest is made of 16mm with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. . , Color and Make as per the approval of Engineer-in - charge.	1

5	UNIT HEAD CHAIR	<p>Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as . , Color and Make as per the approval of Engineer-in -charge.</p>	3
6	UNIT HEAD [3-SEATER SOFA]	<p>Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes . , Color and Make as per the approval of Engineer-in - charge.</p>	1
7	UNIT HEAD -DISPLAY STORAGE	<p>Supply and installation of Library 2700mm X 450mm X 2100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. . , Color and Make as per the approval of Engineer-in - charge.</p>	1

8	REGIONAL HEAD ROOM TABLE	<p>Supply and installation of Regional Head- TABLE 1800 mm X 1350mm X 750mm made up of MR Grade Plywood (as per IS:303-1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and rest is made of 16mm with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.</p>	1
9	REGIONAL HEAD ROOM CHAIR	<p>Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyster upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as ., Color and Make as per the approval of Engineer-in -charge.</p>	3
10	REGIONAL HEAD ROOM [3-SS]	<p>Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.</p>	1

11	REGIONAL HEAD - FILE STORAGE	Supply and installation of File Storage 900 mm X 450mm X2100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	1
Training Block Building - Ground Floor			
1	SOFA [3SEATER - VIP LOUNGE]	Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	5
2	CENTER TABLE - VIP LOUNGE	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	2

3	KING SIZE BED [VIP ROOM]	Supply and installation of Bed 1950mm X 1800mm X 450mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	2
4	SIDE TABLE	Supply and installation of Side Table 600mm X 450mm X 450mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	4
5	WARDROB E	Supply and installation of Wardrobe 900 mm X 600mm X2100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	4
6	MIRROR	Supply and installation of Mirror 750 mm X 1950mm with 25mm PVC border. ., Color and Make as per the approval of Engineer-in - charge.	2

7	CENTER TABLE - VIP ROOM	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	2
8	SOFA [3SEATER - VIP ROOM]	Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	2
9	CLASSROOM CHAIR	Supply and installation of Classroom Chair of size 450 mm X 525mm X 450mm with Seat made up of fabric upholstery and legs and frame of Metal coated ., Color and Make as per the approval of Engineer-in - charge.	118
10	PODIUM FOR CLASSROOM	Supply and installation of Podium table 600 mm X 450mm X 900mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	3

11	STAGE FOR CLASSROOM	Supply and installation of Platform 4800mm X 1200mm X 100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 ., Color and Make as per the approval of Engineer-in -charge.	3
12	SOFA [3SEATER - OPEN AREA]	Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	2
13	CENTER TABLE - OUTER AREA	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	1
14	DOCTOR ROOM TABLE	Supply and installation of Doctor room- TABLE 1800 mm X 600mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and rest is made of 16mm with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	1

15	DOCTOR ROOM - CHAIR	Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as . , Color and Make as per the approval of Engineer-in -charge.	3
16	PATIENT BED	Supply and installation of Patient bed Size 600 mm X 1800mm X 900mm made of polished ss pipes and top made of upholstered washable fabric ., Color and Make as per the approval of Engineer-in -charge.	1
17	LIBRARY WARDOBE	Supply and installation of Library 900mm X 450mm X 2100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate conforming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	5
18	LIBRARY CHAIR	Supply and installation of Library Chair of size 450 mm X 525mm X 450mm with Seat made up of fabric upholstery and legs and frame of Metal coated ., Color and Make as per the approval of Engineer-in - charge.	8
19	SOFA [3SEATER - LIBRARY AREA]	Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	1

20	LIBRARY TABLE	Supply and installation of LIBRARY TABLE 600 mm X 600mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm. With metal coated legs ., Color and Make as per the approval of Engineer-in -charge.	2
21	LONG TABLE	Supply and installation of LONG TABLE 3600 mm X 600mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm. With metal coated legs ., Color and Make as per the approval of Engineer-in -charge.	1
22	CENTER TABLE - GAME AREA	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	1
23	GAME CHAIR	Supply and installation of Game Chair of size 450 mm X 525mm X 450mm with Seat made up of fabric upholstery and legs and frame of Metal coated ., Color and Make as per the approval of Engineer-in -charge.	6
24	GAME TABLE	Supply and installation of Game TABLE 600 mm X 600mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm. With metal coated legs ., Color and Make as per the approval of Engineer-in -charge.	2

25	SOFA [3SEATER - GAME AREA]	Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	1
26	CENTER TABLE - GAME AREA	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate conforming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	1
27	TRAINING CENTER TABLE	Supply and installation of Training center- TABLE 2400 mm X 1200mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and Laminate conforming to IS 2046:1995 with Edge banding formation on 4 sides 2mm. With metal coated legs ., Color and Make as per the approval of Engineer-in - charge.	1
28	TRAINING CHAIR	Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as ., Color and Make as per the approval of Engineer-in -charge.	8

29	ADMIN OFFICE TABLE	<p>Supply and installation of ADMIN OFFICE- TABLE 1800 mm X 1350mm X 750mm made up of MR Grade Plywood (as per IS:303-1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and rest is made of 16mm with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.</p>	1
30	ADMIN OFFICE CHAIR	<p>Providing Ergonomically assessed rotating chair with ergonomically formed, flexible plastic backrest frame supporting regulative mesh material made of 100% Polyester with tilting mechanism. The Mesh support cushion to provide additional support at the back, Plastic T armrest with adjustable height, ergonomically moulded polyester upholstery covering breathable polyurethane (PU) moulded foam of thickness: 5cm seating supported by legs with coating finish attached with five armed twin castors and height adjustable lever as ., Color and Make as per the approval of Engineer-in -charge.</p>	3
31	ADMIN OFFICE SOFA	<p>Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.</p>	1

32	ADMIN OFFICE CENTER TABLE	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	1
Training Block Building - First Floor			
1	BED	Supply and installation of Bed 900mm X 2100mm X 450mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	56
2	SIDE TABLE	Supply and installation of Side Table900mm X 450mm X 450mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	56

3	WARDROBE	Supply and installation of Wardrobe 900 mm X 600mm X2100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	56
	MIRROR	Supply and installation of Mirror 750 mm X 1950mm with 25mm PVC border. ., Color and Make as per the approval of Engineer-in - charge.	56
	LOUNGE AREA - SOFA	Providing 2100mm X 750mm Three seater sofa with medium back rest and arm rest made out of plywood frame structure made up of MR Grade Plywood (as per IS:303- 1989) with high density foam padding leatherette upholstery supported by polished teakwood legs with rubber bushes ., Color and Make as per the approval of Engineer-in - charge.	2
4	LOUNGE AREA - CENTER TABLE	Supply and installation of Center table 1200 mm X 450mm X 600mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top and Rest are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	1
Kitchen Building - Ground Floor			
1	DINING TABLE	Supply and installation of Dinning table of size 1800mm X 900mm X 750mm with top made up of full body tile and legs and frame of solid wood with polish ., Color and Make as per the approval of Engineer-in - charge.	4

2	DINING CHAIR	Supply and installation of Dinning Chair of size 600 mm X 525mm X 450mm with Seat made up of fabric upholstery and legs and frame of solid wood with polish ., Color and Make as per the approval of Engineer-in - charge.	24
3	DINING TABLE - OUTSIDE AREA	Supply and installation of Dinning table of size 1800mm X 900mm X 750mm with topwith 16mm thk MR Grade Plywood (as per IS:303-1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm and legs and frame of metal ., Color and Make as per the approval of Engineer-in -charge.	7
4	DINING CHAIR - OUTSIDE	Supply and installation of Dinning Chair of size 600 mm X 525mm X 450mm with Seat made up of fabric upholstery and legs and frame of metal with polish ., Color and Make as per the approval of Engineer-in - charge.	42
5	KITCHEN BASE UNIT	Supply and installation of Kitchen 13000 mm X 600mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	1
6	KITCHEN WALL UNIT	Supply and installation of Wall Unit 6200 mm X 375mm X 2100mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in - charge.	1

7	SERVICE COUNTER	Supply and installation of Service counter 1200 mm X 450mm X 800mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. all component are with 16mm thk MR Grade Plywood (as per IS:303- 1989) with Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm & 0.8mm PVC edge banding of Rehau or Equivalent with enhanced scratch resistance. Exposed edges are in 2mm thk PVC edge banding & sealed edges are in 0.8mm thk PVC edge banding. ., Color and Make as per the approval of Engineer-in -charge.	2
8	STORE RACK	Supply and installation of Rack 600 mm X 900mm X 1800mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish and Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm. With metal coated Structure -Folding ., Color and Make as per the approval of Engineer-in -charge.	6
	Security Cabin, dispensery, milking parlour and other utility areas	Supply and installation of Training center- TABLE 1500 mm X 900mm X 750mm made up of MR Grade Plywood (as per IS:303- 1989) with Edge Band finish. Top are with 25mm thk particle board conforming to IS : 12823 Interior Grade and Laminate confirming to IS 2046:1995 with Edge banding formation on 4 sides 2mm. With metal coated legs with drawers, Color and Make as per the approval of Engineer-in - charge.	6
		Ergonomically designed non revolving chairs	6

FURNISHING

Sr.	Description	Qty
1	6'x7'	30.00
	<i>Pleated Curtain Fabric Require 7.50 Mtr 3Pleat Curtain Including Track Ceiling Mount 6' With Installation</i>	
2	<i>Roller Curtain With Macheism Easy Lift Size 6'x7'</i>	38.00
3	<i>Roller Curtain With Macheism Easy Lift Size 3'x7'</i>	4.00
4	<i>Roller Curtain With Macheism Easy Lift Size 5.3'x7'</i>	1.00
5	<i>Roller Curtain With Macheism Easy Lift Size 4.6'x7'</i>	1.00
6	<i>Bed Sheet 900x2100 Cotton Bed Sheet 300 TC With One Pillow Cover</i>	70.00
7	<i>Bed Sheet 1800x2050 Cotton Bed Sheet 300 TC With Two Pillow Cover</i>	2.00

8		<i>Pillows Sleeping</i>	70
9		<i>Mattress Single Bed</i>	60
10		<i>Mattress Double Bed</i>	2
11		<i>Comfortor</i>	65

Note: The above mentioned quantities and items are tentative and there may be some deviations while execution as per the site conditions

The Company shall be accepting the Furniture's, as per the following specifications only.


Payments

- I) The Contractor shall be paid for the furniture supplied as per the rates as mentioned PO.
- II) The contractor shall raise an invoice upon **successful delivery and installation** of furniture items at the designated site.
- III) The invoice shall be raised in the name of:
**Central Cattle Breeding Farm,
Dhamrod
NH - 48, Near PP Sawani University
At & Post- Dhamrod,
Ta- Mangrol,
Dist.- Surat -394125 Gujarat.**
Payments shall be made within 30 days from the date of submission of a valid and complete invoice after completion of full work
- IV) The final payment will be subject to:
 - a. Deduction of any applicable penalties or liquidated damages
 - b. Verification of quantities and specifications
 - c. Clearance of any outstanding dues (e.g., electricity, transport, etc.)
- V) All payments shall be made via **bank transfer** to the account details provided by the contractor in the agreement.


Signature of the Contractor / Representative

Signature of the Purchase Officer


**GF-ADMIN
BLOCK**




GF-KITCHEN




GF-TRAINING BLOCK



FF-ADMIN
BLOCK




FF-TRAINING BLOCK



VIP Lounge & Guest Room

- Wooden beds and side tables with carved motifs.
- Artistic wall panels themed on cow care and spirituality.
- Proper ventilation, mosquito netting, and traditional wardrobes.




VIP Lounge & Guest Room Furniture



Doctor Room

- Wall-mounted educational charts in Hindi and English.
- Separate zones for vaccination, hoof care, and rest.
- Storage for vet supplies, washbasin, and clean flooring.
- Interactive walls to teach common diseases and prevention.






Doctor Room Furniture

Educational Classrooms

- Seating for 24 students.
- Knowledge walls about cow anatomy, types of fodder, diseases, and milk value.
- Quote wall: “Cows are the mothers” of the world.




Educational Classrooms Furniture



Library & Reading Room

- Earthy shelves, reading zone with seating
- Focused lighting with mural backdrops.
- Books on: Cow history, breeds, sustainable practices.




Library & Reading Room Furniture



Dining & Kitchen

- Seating for 24 (4 tables x 6 chairs).
- Thali-style dining experience.
- Kitchen with tiled walls, water filters, storage cabinets.
- Use of brass or copper utensils for tradition & hygiene.




Dining & Kitchen Theme Furniture



Indoor Games Room

- Wall paintings of ancient games: Pachisi, Gilli-Danda, Akhada.
- Niche display of chessboards, carrom sets.
- Engraved mural: 'Krida Darbar – Games Through the Ages'.
- Warm lighting, and educational corner.




Indoor Games Room Theme Furniture




Offices (Unit Head / Regional Head)

- Modern Table with visitor seating.
- Storage cabinets for documentation.
- Motivational quote walls in .
- Modern Tone Color Palette.



Offices (Unit Head / Regional Head) Furniture





Guest Room


- Wooden beds and side tables with carved motifs.
- Artistic wall panels themed on cow care and spirituality.
- Proper ventilation, mosquito netting, and traditional wardrobes.

Guest Room Furniture




Meeting Room

- Wooden meeting table with Revolving chair.
- Modern Ceiling.
- Artistic wall panels themed on cow care and spirituality.
- Proper ventilation, mosquito netting.



Meeting Room Furniture





Reception Area

- Modern Table with visitor seating.
- Storage cabinets for documentation.
- Motivational quote walls in .
- Modern Tone Color Palette.

Reception Area Furniture

